

Date: 11th January 2026

The Executive Director: Water Services Department

Harry Gwala District Municipality

40 Main Street

Ixopo

3276

Attention: Basetsana Khathalib and Bheki Nene

DECEMBER 2025 UNTREATED WATER (RAW) RESULTS

Please find December 2025 Untreated Water (Raw) results tabulated below for samples received during December 2025. Determinands marked with an asterix are unaccredited and are not included in uMngeni-uThukela Water's schedule of accreditation.

Please contact us immediately should you have any queries.

Yours' Sincerely

Mr M Sewcharan

Client Services Manager

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

Board Members: Adv. SB Khuzwayo SC (Chairperson) | Ms. NN Mkhize (Deputy Chairperson) | Mr. TJ Cornish | Adv. LN Gopaul | Ms. DG Hoorzuk | Ms. S Masango | Ms. TS Mhlongo | Mr. SW Mkhize | Adv. KI Mshengu | Mr. SM Mtolo | Ms. H Mvubu | Mr. KS Shandu | Mr. SP Mkhize (**Chief Executive**) | Mr. TS Mkhwanazi (**Chief Financial Officer**)

Sample Date	Sample Number	Sampling Point	Description	Determinand	Result	UOM	Unit
02-Dec-25	2526043	TSQ001	Esiqanduleni Raw	AI (AE)	519	±7.6%	µg AI/L
02-Dec-25	2526040	TSQ001	Esiqanduleni Raw	Coliforms*	>2420	±22%	MPN/100mL
02-Dec-25	2526040	TSQ001	Esiqanduleni Raw	Coliphages*	5	±8%	PFU/10mL
02-Dec-25	2526039	TSQ001	Esiqanduleni Raw	Coll Time OS*	07:12	-	-
02-Dec-25	2526041	TSQ001	Esiqanduleni Raw	Conductivity	6.67	±1.5%	mS/m
02-Dec-25	2526040	TSQ001	Esiqanduleni Raw	E.coli*	75	±21%	MPN/100mL
02-Dec-25	2526039	TSQ001	Esiqanduleni Raw	pH OS*	7.50	-	-
02-Dec-25	2526039	TSQ001	Esiqanduleni Raw	Temperature OS*	19.3	-	°C
02-Dec-25	2526042	TSQ001	Esiqanduleni Raw	Turbidity	29.3	±6.1%	NTU
03-Dec-25	2526726	TBU001	Bulwer Raw	AI (AE)	555	±7.6%	µg AI/L
03-Dec-25	2526723	TBU001	Bulwer Raw	Coliforms*	>2420	±22%	MPN/100mL
03-Dec-25	2526722	TBU001	Bulwer Raw	Coll Time OS*	10:25	-	-
03-Dec-25	2526725	TBU001	Bulwer Raw	Colour	4.00	±6.5%	mg Pt-Co/L
03-Dec-25	2526724	TBU001	Bulwer Raw	Conductivity	4.39	±1.5%	mS/m
03-Dec-25	2526723	TBU001	Bulwer Raw	E.coli*	291	±21%	MPN/100mL
03-Dec-25	2526725	TBU001	Bulwer Raw	Odour*	Nil	-	-
03-Dec-25	2526722	TBU001	Bulwer Raw	pH OS*	7.30	-	-
03-Dec-25	2526722	TBU001	Bulwer Raw	Temperature OS*	21.0	-	°C
03-Dec-25	2526725	TBU001	Bulwer Raw	Turbidity	9.8	±6.1%	NTU
03-Dec-25	2526740	TCR001	Creighton Raw	AI (AE)	219	±7.6%	µg AI/L
03-Dec-25	2526737	TCR001	Creighton Raw	Coliforms*	517	±22%	MPN/100mL
03-Dec-25	2526736	TCR001	Creighton Raw	Coll Time OS*	07:40	-	-
03-Dec-25	2526739	TCR001	Creighton Raw	Colour	4.70	±6.5%	mg Pt-Co/L
03-Dec-25	2526738	TCR001	Creighton Raw	Conductivity	8.01	±1.5%	mS/m
03-Dec-25	2526737	TCR001	Creighton Raw	E.coli*	25	±21%	MPN/100mL
03-Dec-25	2526736	TCR001	Creighton Raw	pH OS*	7.40	-	-
03-Dec-25	2526736	TCR001	Creighton Raw	Temperature OS*	19.6	-	°C
03-Dec-25	2526739	TCR001	Creighton Raw	Turbidity	3.9	±6.1%	NTU
03-Dec-25	2526757	THL001	Hlanganani Raw	Coliforms*	2420	±22%	MPN/100mL
03-Dec-25	2526756	THL001	Hlanganani Raw	Coll Time OS*	11:22	-	-
03-Dec-25	2526758	THL001	Hlanganani Raw	Conductivity	8.05	±1.5%	mS/m
03-Dec-25	2526757	THL001	Hlanganani Raw	E.coli*	162	±21%	MPN/100mL
03-Dec-25	2526756	THL001	Hlanganani Raw	pH OS*	7.50	-	-
03-Dec-25	2526756	THL001	Hlanganani Raw	Temperature OS*	23.4	-	°C
03-Dec-25	2526759	THL001	Hlanganani Raw	Turbidity	13.9	±6.1%	NTU
03-Dec-25	2526779	TMAN001	Mangwaneni Raw	Coliforms*	>2420	±22%	MPN/100mL
03-Dec-25	2526778	TMAN001	Mangwaneni Raw	Coll Time OS*	11:23	-	-
03-Dec-25	2526781	TMAN001	Mangwaneni Raw	Colour	4.50	±6.5%	mg Pt-Co/L
03-Dec-25	2526780	TMAN001	Mangwaneni Raw	Conductivity	7.54	±1.5%	mS/m
03-Dec-25	2526779	TMAN001	Mangwaneni Raw	E.coli*	308	±21%	MPN/100mL
03-Dec-25	2526778	TMAN001	Mangwaneni Raw	pH OS*	7.40	-	-
03-Dec-25	2526778	TMAN001	Mangwaneni Raw	Temperature OS*	19.0	-	°C

uMngeni-Uthukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

03-Dec-25	2526781	TMAN001	Mangwaneni Raw	Turbidity	11.4	±6.1%	NTU
03-Dec-25	2526792	TMQA001	Mqatsheni Raw	Coliforms*	0	±22%	MPN/100mL
03-Dec-25	2526791	TMQA001	Mqatsheni Raw	Coll Time OS*	08:27	-	-
03-Dec-25	2526794	TMQA001	Mqatsheni Raw	Colour	1.10	±6.5%	mg Pt-Co/L
03-Dec-25	2526793	TMQA001	Mqatsheni Raw	Conductivity	34.3	±1.5%	mS/m
03-Dec-25	2526792	TMQA001	Mqatsheni Raw	E.coli*	0	±21%	MPN/100mL
03-Dec-25	2526794	TMQA001	Mqatsheni Raw	Odour*	Nil	-	-
03-Dec-25	2526791	TMQA001	Mqatsheni Raw	pH OS*	8.40	-	-
03-Dec-25	2526791	TMQA001	Mqatsheni Raw	Temperature OS*	17.1	-	°C
03-Dec-25	2526794	TMQA001	Mqatsheni Raw	Turbidity	1.7	±6.1%	NTU
03-Dec-25	2526812	TRV001	Riversside Raw	AI (AE)	3403	±7.6%	µg AI/L
03-Dec-25	2526809	TRV001	Riversside Raw	Coliforms*	67	±22%	MPN/100mL
03-Dec-25	2526808	TRV001	Riversside Raw	Coll Time OS*	08:55	-	-
03-Dec-25	2526811	TRV001	Riversside Raw	Colour	2.40	±6.5%	mg Pt-Co/L
03-Dec-25	2526810	TRV001	Riversside Raw	Conductivity	5.86	±1.5%	mS/m
03-Dec-25	2526809	TRV001	Riversside Raw	E.coli*	1	±21%	MPN/100mL
03-Dec-25	2526808	TRV001	Riversside Raw	pH OS*	7.40	-	-
03-Dec-25	2526808	TRV001	Riversside Raw	Temperature OS*	20.7	-	°C
03-Dec-25	2526811	TRV001	Riversside Raw	Turbidity	1.9	±6.1%	NTU
03-Dec-25	2526827	TST001	St Appollinaris Raw	AI (AE)	296	±7.6%	µg AI/L
03-Dec-25	2526824	TST001	St Appollinaris Raw	Coliforms*	1986	±22%	MPN/100mL
03-Dec-25	2526823	TST001	St Appollinaris Raw	Coll Time OS*	10:08	-	-
03-Dec-25	2526825	TST001	St Appollinaris Raw	Conductivity	4.40	±1.5%	mS/m
03-Dec-25	2526824	TST001	St Appollinaris Raw	E.coli*	88	±21%	MPN/100mL
03-Dec-25	2526823	TST001	St Appollinaris Raw	pH OS*	7.50	-	-
03-Dec-25	2526823	TST001	St Appollinaris Raw	Temperature OS*	21.3	-	°C
03-Dec-25	2526826	TST001	St Appollinaris Raw	Turbidity	6.7	±6.1%	NTU
03-Dec-25	2526837	TUN001	Underberg Raw	AI (AE)	147	±7.6%	µg AI/L
03-Dec-25	2526834	TUN001	Underberg Raw	Coliforms*	525	±22%	MPN/100mL
03-Dec-25	2526834	TUN001	Underberg Raw	Coliphages*	7	±8%	PFU/10mL
03-Dec-25	2526833	TUN001	Underberg Raw	Coll Time OS*	09:51	-	-
03-Dec-25	2526835	TUN001	Underberg Raw	Conductivity	3.90	±1.5%	mS/m
03-Dec-25	2526834	TUN001	Underberg Raw	E.coli*	84	±21%	MPN/100mL
03-Dec-25	2526833	TUN001	Underberg Raw	pH OS*	7.40	-	-
03-Dec-25	2526833	TUN001	Underberg Raw	Temperature OS*	18.3	-	°C
03-Dec-25	2526836	TUN001	Underberg Raw	Turbidity	3.0	±6.1%	NTU
04-Dec-25	2527536	TMZ001	Umzimkhulu Raw	AI (AE)	762	±7.6%	µg AI/L
04-Dec-25	2527533	TMZ001	Umzimkhulu Raw	Coliforms*	>2420	±22%	MPN/100mL

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

04-Dec-25	2527533	TMZ001	Umzimkhulu Raw	Coliphages*	403	±8%	PFU/10mL
04-Dec-25	2527532	TMZ001	Umzimkhulu Raw	Coll Time OS*	06:50	-	-
04-Dec-25	2527534	TMZ001	Umzimkhulu Raw	Conductivity	6.36	±1.5%	mS/m
04-Dec-25	2527533	TMZ001	Umzimkhulu Raw	E.coli*	1046	±21%	MPN/100mL
04-Dec-25	2527532	TMZ001	Umzimkhulu Raw	pH OS*	7.40	-	-
04-Dec-25	2527532	TMZ001	Umzimkhulu Raw	Temperature OS*	20.2	-	°C
04-Dec-25	2527535	TMZ001	Umzimkhulu Raw	Turbidity	108.0	±6.1%	NTU
04-Dec-25	2527559	TNO001	Nokweja Raw	AI (AE)	660	±7.6%	µg AI/L
04-Dec-25	2527556	TNO001	Nokweja Raw	Coliforms*	>2420	±22%	MPN/100mL
04-Dec-25	2527556	TNO001	Nokweja Raw	Coliphages*	>500	±8%	PFU/10mL
04-Dec-25	2527555	TNO001	Nokweja Raw	Coll Time OS*	08:20	-	-
04-Dec-25	2527557	TNO001	Nokweja Raw	Conductivity	6.99	±1.5%	mS/m
04-Dec-25	2527556	TNO001	Nokweja Raw	E.coli*	>2420	±21%	MPN/100mL
04-Dec-25	2527555	TNO001	Nokweja Raw	pH OS*	7.30	-	-
04-Dec-25	2527555	TNO001	Nokweja Raw	Temperature OS*	19.0	-	°C
04-Dec-25	2527558	TNO001	Nokweja Raw	Turbidity	232.0	±6.1%	NTU
04-Dec-25	2527604	TWA001	Washbank Raw	AI (AE)	71620	±7.6%	µg AI/L
04-Dec-25	2527601	TWA001	Washbank Raw	Coliforms*	13	±22%	MPN/100mL
04-Dec-25	2527600	TWA001	Washbank Raw	Coll Time OS*	06:23	-	-
04-Dec-25	2527602	TWA001	Washbank Raw	Conductivity	60.9	±1.5%	mS/m
04-Dec-25	2527601	TWA001	Washbank Raw	E.coli*	0	±21%	MPN/100mL
04-Dec-25	2527600	TWA001	Washbank Raw	pH OS*	7.30	-	-
04-Dec-25	2527600	TWA001	Washbank Raw	Temperature OS*	17.5	-	°C
04-Dec-25	2527603	TWA001	Washbank Raw	Turbidity	4.3	±6.1%	NTU
05-Dec-25	2525389	TFR001	Franklin Raw	AI (AE)	716	±7.6%	µg AI/L
05-Dec-25	2525386	TFR001	Franklin Raw	Coliforms*	>2420	±22%	MPN/100mL
05-Dec-25	2525385	TFR001	Franklin Raw	Coll Time OS*	6:54	-	-
05-Dec-25	2525388	TFR001	Franklin Raw	Colour	19.6	±6.5%	mg Pt-Co/L
05-Dec-25	2525387	TFR001	Franklin Raw	Conductivity	9.49	±1.5%	mS/m
05-Dec-25	2525386	TFR001	Franklin Raw	E.coli*	687	±21%	MPN/100mL
05-Dec-25	2525385	TFR001	Franklin Raw	pH OS*	7.20	-	-
05-Dec-25	2525385	TFR001	Franklin Raw	Temperature OS*	20.9	-	°C
05-Dec-25	2525388	TFR001	Franklin Raw	Turbidity	53.7	±6.1%	NTU
05-Dec-25	2527798	TIB001	Ibisi Raw	AI (AE)	578	±7.6%	µg AI/L
05-Dec-25	2527795	TIB001	Ibisi Raw	Coliforms*	>2420	±22%	MPN/100mL
05-Dec-25	2527795	TIB001	Ibisi Raw	Coliphages*	58	±8%	PFU/10mL
05-Dec-25	2527794	TIB001	Ibisi Raw	Coll Time OS*	10:41	-	-
05-Dec-25	2527796	TIB001	Ibisi Raw	Conductivity	8.23	±1.5%	mS/m
05-Dec-25	2527795	TIB001	Ibisi Raw	E.coli*	308	±21%	MPN/100mL
05-Dec-25	2527794	TIB001	Ibisi Raw	pH OS*	7.40	-	-
05-Dec-25	2527794	TIB001	Ibisi Raw	Temperature OS*	23.9	-	°C
05-Dec-25	2527797	TIB001	Ibisi Raw	Turbidity	75.2	±6.1%	NTU

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

05-Dec-25	2525416	TKK001	Kokstad River Raw	AI (AE)	177	±7.6%	µg AI/L
05-Dec-25	2525413	TKK001	Kokstad River Raw	Coliforms*	0	±22%	MPN/100mL
05-Dec-25	2525413	TKK001	Kokstad River Raw	Coliphages*	0	±8%	PFU/10mL
05-Dec-25	2525412	TKK001	Kokstad River Raw	Coll Time OS*	8:03	-	-
05-Dec-25	2525414	TKK001	Kokstad River Raw	Conductivity	13.7	±1.5%	mS/m
05-Dec-25	2525413	TKK001	Kokstad River Raw	E.coli*	0	±21%	MPN/100mL
05-Dec-25	2525412	TKK001	Kokstad River Raw	pH OS*	7.40	-	-
05-Dec-25	2525412	TKK001	Kokstad River Raw	Temperature OS*	21.9	-	°C
05-Dec-25	2525415	TKK001	Kokstad River Raw	Turbidity	13.4	±6.1%	NTU
05-Dec-25	2525427	TKK003	Kokstad Crystal Spring Raw	AI (AE)	93.8	±7.6%	µg AI/L
05-Dec-25	2525424	TKK003	Kokstad Crystal Spring Raw	Coliforms*	816	±22%	MPN/100mL
05-Dec-25	2525424	TKK003	Kokstad Crystal Spring Raw	Coliphages*	0	±8%	PFU/10mL
05-Dec-25	2525423	TKK003	Kokstad Crystal Spring Raw	Coll Time OS*	8:07	-	-
05-Dec-25	2525425	TKK003	Kokstad Crystal Spring Raw	Conductivity	9.40	±1.5%	mS/m
05-Dec-25	2525424	TKK003	Kokstad Crystal Spring Raw	E.coli*	44	±21%	MPN/100mL
05-Dec-25	2525423	TKK003	Kokstad Crystal Spring Raw	pH OS*	7.40	-	-
05-Dec-25	2525423	TKK003	Kokstad Crystal Spring Raw	Temperature OS*	22.3	-	°C
05-Dec-25	2525426	TKK003	Kokstad Crystal Spring Raw	Turbidity	6.7	±6.1%	NTU
05-Dec-25	2527811	TRT001	Rietvlei Raw	Coliforms*	>2420	±22%	MPN/100mL
05-Dec-25	2527810	TRT001	Rietvlei Raw	Coll Time OS*	5:05	-	-
05-Dec-25	2527812	TRT001	Rietvlei Raw	Conductivity	15.9	±1.5%	mS/m
05-Dec-25	2527811	TRT001	Rietvlei Raw	E.coli*	488	±21%	MPN/100mL
05-Dec-25	2527810	TRT001	Rietvlei Raw	pH OS*	7.40	-	-
05-Dec-25	2527810	TRT001	Rietvlei Raw	Temperature OS*	20.5	-	°C
05-Dec-25	2527813	TRT001	Rietvlei Raw	Turbidity	42.8	±6.1%	NTU
08-Dec-25	2530988	TFR001	Franklin Raw	AI (AE)	558	±7.6%	µg AI/L
08-Dec-25	2530985	TFR001	Franklin Raw	Coliforms*	>2420	±22%	MPN/100mL
08-Dec-25	2530984	TFR001	Franklin Raw	Coll Time OS*	08:18	-	-
08-Dec-25	2530987	TFR001	Franklin Raw	Colour	14.2	±6.5%	mg Pt-Co/L
08-Dec-25	2530986	TFR001	Franklin Raw	Conductivity	10.7	±1.5%	mS/m
08-Dec-25	2530985	TFR001	Franklin Raw	E.coli*	649	±21%	MPN/100mL
08-Dec-25	2530984	TFR001	Franklin Raw	pH OS*	7.30	-	-

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

08-Dec-25	2530984	TFR001	Franklin Raw	Temperature OS*	21.5	-	°C
08-Dec-25	2530987	TFR001	Franklin Raw	Turbidity	42.3	±6.1%	NTU
08-Dec-25	2531011	TKK001	Kokstad River Raw	AI (AE)	459	±7.6%	µg AI/L
08-Dec-25	2531008	TKK001	Kokstad River Raw	Coliforms*	0	±22%	MPN/100mL
08-Dec-25	2531008	TKK001	Kokstad River Raw	Coliphages*	0	±8%	PFU/10mL
08-Dec-25	2531007	TKK001	Kokstad River Raw	Coll Time OS*	09:15	-	-
08-Dec-25	2531009	TKK001	Kokstad River Raw	Conductivity	16.3	±1.5%	mS/m
08-Dec-25	2531008	TKK001	Kokstad River Raw	E.coli*	0	±21%	MPN/100mL
08-Dec-25	2531007	TKK001	Kokstad River Raw	pH OS*	7.30	-	-
08-Dec-25	2531007	TKK001	Kokstad River Raw	Temperature OS*	22.4	-	°C
08-Dec-25	2531010	TKK001	Kokstad River Raw	Turbidity	5.3	±6.1%	NTU
08-Dec-25	2531022	TKK003	Kokstad Crystal Spring Raw	AI (AE)	125	±7.6%	µg AI/L
08-Dec-25	2531019	TKK003	Kokstad Crystal Spring Raw	Coliforms*	>2420	±22%	MPN/100mL
08-Dec-25	2531019	TKK003	Kokstad Crystal Spring Raw	Coliphages*	5	±8%	PFU/10mL
08-Dec-25	2531018	TKK003	Kokstad Crystal Spring Raw	Coll Time OS*	09:30	-	-
08-Dec-25	2531020	TKK003	Kokstad Crystal Spring Raw	Conductivity	9.43	±1.5%	mS/m
08-Dec-25	2531019	TKK003	Kokstad Crystal Spring Raw	E.coli*	236	±21%	MPN/100mL
08-Dec-25	2531018	TKK003	Kokstad Crystal Spring Raw	pH OS*	7.50	-	-
08-Dec-25	2531018	TKK003	Kokstad Crystal Spring Raw	Temperature OS*	24.6	-	°C
08-Dec-25	2531021	TKK003	Kokstad Crystal Spring Raw	Turbidity	7.6	±6.1%	NTU
09-Dec-25	2531646	TQU001	Mnqumeni Raw	Coliforms*	>2420	±22%	MPN/100mL
09-Dec-25	2531645	TQU001	Mnqumeni Raw	Coll Time OS*	07:40	-	-
09-Dec-25	2531647	TQU001	Mnqumeni Raw	Conductivity	11.0	±1.5%	mS/m
09-Dec-25	2531646	TQU001	Mnqumeni Raw	E.coli*	816	±21%	MPN/100mL
09-Dec-25	2531645	TQU001	Mnqumeni Raw	pH OS*	7.30	-	-
09-Dec-25	2531645	TQU001	Mnqumeni Raw	Temperature OS*	19.0	-	°C
09-Dec-25	2531648	TQU001	Mnqumeni Raw	Turbidity	90.8	±6.1%	NTU
09-Dec-25	2531658	TSQ001	Esiqanduleni Raw	AI (AE)	565	±7.6%	µg AI/L
09-Dec-25	2531655	TSQ001	Esiqanduleni Raw	Coliforms*	>2420	±22%	MPN/100mL
09-Dec-25	2531655	TSQ001	Esiqanduleni Raw	Coliphages*	3	±8%	PFU/10mL

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

09-Dec-25	2531654	TSQ001	Esiqanduleni Raw	Coll Time OS*	07:37	-	-
09-Dec-25	2531656	TSQ001	Esiqanduleni Raw	Conductivity	8.11	±1.5%	mS/m
09-Dec-25	2531655	TSQ001	Esiqanduleni Raw	E.coli*	157	±21%	MPN/100mL
09-Dec-25	2531654	TSQ001	Esiqanduleni Raw	pH OS*	7.40	-	-
09-Dec-25	2531654	TSQ001	Esiqanduleni Raw	Temperature OS*	18.4	-	°C
09-Dec-25	2531657	TSQ001	Esiqanduleni Raw	Turbidity	28.7	±6.1%	NTU
10-Dec-25	2532289	TBU001	Bulwer Raw	AI (AE)	3090	±7.6%	µg AI/L
10-Dec-25	2532286	TBU001	Bulwer Raw	Coliforms*	>2420	±22%	MPN/100mL
10-Dec-25	2532285	TBU001	Bulwer Raw	Coll Time OS*	10:10	-	-
10-Dec-25	2532288	TBU001	Bulwer Raw	Colour	22.5	±6.5%	mg Pt-Co/L
10-Dec-25	2532287	TBU001	Bulwer Raw	Conductivity	3.48	±1.5%	mS/m
10-Dec-25	2532286	TBU001	Bulwer Raw	E.coli*	>2420	±21%	MPN/100mL
10-Dec-25	2532285	TBU001	Bulwer Raw	pH OS*	7.50	-	-
10-Dec-25	2532285	TBU001	Bulwer Raw	Temperature OS*	20.7	-	°C
10-Dec-25	2532288	TBU001	Bulwer Raw	Turbidity	63.5	±6.1%	NTU
10-Dec-25	2532299	TCR001	Creighton Raw	AI (AE)	113	±7.6%	µg AI/L
10-Dec-25	2532296	TCR001	Creighton Raw	Coliforms*	291	±22%	MPN/100mL
10-Dec-25	2532295	TCR001	Creighton Raw	Coll Time OS*	07:21	-	-
10-Dec-25	2532298	TCR001	Creighton Raw	Colour	3.50	±6.5%	mg Pt-Co/L
10-Dec-25	2532297	TCR001	Creighton Raw	Conductivity	8.02	±1.5%	mS/m
10-Dec-25	2532296	TCR001	Creighton Raw	E.coli*	4	±21%	MPN/100mL
10-Dec-25	2532295	TCR001	Creighton Raw	pH OS*	7.20	-	-
10-Dec-25	2532295	TCR001	Creighton Raw	Temperature OS*	16.2	-	°C
10-Dec-25	2532298	TCR001	Creighton Raw	Turbidity	2.9	±6.1%	NTU
10-Dec-25	2532307	THL001	Hlanganani Raw	Coliforms*	>2420	±22%	MPN/100mL
10-Dec-25	2532306	THL001	Hlanganani Raw	Coll Time OS*	10:48	-	-
10-Dec-25	2532308	THL001	Hlanganani Raw	Conductivity	6.82	±1.5%	mS/m
10-Dec-25	2532307	THL001	Hlanganani Raw	E.coli*	>2420	±21%	MPN/100mL
10-Dec-25	2532306	THL001	Hlanganani Raw	pH OS*	7.50	-	-
10-Dec-25	2532306	THL001	Hlanganani Raw	Temperature OS*	21.7	-	°C
10-Dec-25	2532309	THL001	Hlanganani Raw	Turbidity	253.0	±6.1%	NTU
10-Dec-25	2532331	TMQA001	Mqatsheni Raw	Coliforms*	0	±22%	MPN/100mL
10-Dec-25	2532330	TMQA001	Mqatsheni Raw	Coll Time OS*	07:46	-	-
10-Dec-25	2532333	TMQA001	Mqatsheni Raw	Colour	<1.00	±6.5%	mg Pt-Co/L
10-Dec-25	2532332	TMQA001	Mqatsheni Raw	Conductivity	36.3	±1.5%	mS/m
10-Dec-25	2532331	TMQA001	Mqatsheni Raw	E.coli*	0	±21%	MPN/100mL
10-Dec-25	2532330	TMQA001	Mqatsheni Raw	pH OS*	8.80	-	-
10-Dec-25	2532330	TMQA001	Mqatsheni Raw	Temperature OS*	18.0	-	°C
10-Dec-25	2532333	TMQA001	Mqatsheni Raw	Turbidity	1.0	±6.1%	NTU

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

10-Dec-25	2532343	TRV001	Riversside Raw	AI (AE)	19514	±7.6%	µg AI/L
10-Dec-25	2532340	TRV001	Riversside Raw	Coliforms*	687	±22%	MPN/100mL
10-Dec-25	2532339	TRV001	Riversside Raw	Coll Time OS*	08:25	-	-
10-Dec-25	2532342	TRV001	Riversside Raw	Colour	2.80	±6.5%	mg Pt-Co/L
10-Dec-25	2532341	TRV001	Riversside Raw	Conductivity	6.33	±1.5%	mS/m
10-Dec-25	2532340	TRV001	Riversside Raw	E.coli*	9	±21%	MPN/100mL
10-Dec-25	2532339	TRV001	Riversside Raw	pH OS*	7.40	-	-
10-Dec-25	2532339	TRV001	Riversside Raw	Temperature OS*	20.1	-	°C
10-Dec-25	2532342	TRV001	Riversside Raw	Turbidity	26.7	±6.1%	NTU
10-Dec-25	2532353	TST001	St Appollinaris Raw	AI (AE)	673	±7.6%	µg AI/L
10-Dec-25	2532350	TST001	St Appollinaris Raw	Coliforms*	>2420	±22%	MPN/100mL
10-Dec-25	2532349	TST001	St Appollinaris Raw	Coll Time OS*	09:30	-	-
10-Dec-25	2532351	TST001	St Appollinaris Raw	Conductivity	4.83	±1.5%	mS/m
10-Dec-25	2532350	TST001	St Appollinaris Raw	E.coli*	387	±21%	MPN/100mL
10-Dec-25	2532349	TST001	St Appollinaris Raw	pH OS*	7.20	-	-
10-Dec-25	2532349	TST001	St Appollinaris Raw	Temperature OS*	19.2	-	°C
10-Dec-25	2532352	TST001	St Appollinaris Raw	Turbidity	19.8	±6.1%	NTU
10-Dec-25	2532368	TUN001	Underberg Raw	AI (AE)	1961	±7.6%	µg AI/L
10-Dec-25	2532365	TUN001	Underberg Raw	Coliforms*	>2420	±22%	MPN/100mL
10-Dec-25	2532365	TUN001	Underberg Raw	Coliphages*	>500	±8%	PFU/10mL
10-Dec-25	2532364	TUN001	Underberg Raw	Coll Time OS*	09:35	-	-
10-Dec-25	2532366	TUN001	Underberg Raw	Conductivity	5.49	±1.5%	mS/m
10-Dec-25	2532365	TUN001	Underberg Raw	E.coli*	>2420	±21%	MPN/100mL
10-Dec-25	2532364	TUN001	Underberg Raw	pH OS*	7.40	-	-
10-Dec-25	2532364	TUN001	Underberg Raw	Temperature OS*	19.2	-	°C
10-Dec-25	2532367	TUN001	Underberg Raw	Turbidity	37.1	±6.1%	NTU
11-Dec-25	2532952	TMZ001	Umzimkhulu Raw	AI (AE)	447	±7.6%	µg AI/L
11-Dec-25	2532949	TMZ001	Umzimkhulu Raw	Coliforms*	>2420	±22%	MPN/100mL
11-Dec-25	2532949	TMZ001	Umzimkhulu Raw	Coliphages*	10	±8%	PFU/10mL
11-Dec-25	2532948	TMZ001	Umzimkhulu Raw	Coll Time OS*	7:18	-	-
11-Dec-25	2532951	TMZ001	Umzimkhulu Raw	Colour	3.30	±6.5%	mg Pt-Co/L
11-Dec-25	2532950	TMZ001	Umzimkhulu Raw	Conductivity	6.31	±1.5%	mS/m
11-Dec-25	2532949	TMZ001	Umzimkhulu Raw	E.coli*	196	±21%	MPN/100mL
11-Dec-25	2532952	TMZ001	Umzimkhulu Raw	Fe (AE)	0.91	±5.4%	mg Fe/L
11-Dec-25	2532951	TMZ001	Umzimkhulu Raw	Odour*	Nil	-	-
11-Dec-25	2532948	TMZ001	Umzimkhulu Raw	pH OS*	7.40	-	-
11-Dec-25	2532948	TMZ001	Umzimkhulu Raw	Temperature OS*	18.2	-	°C
11-Dec-25	2532951	TMZ001	Umzimkhulu Raw	Turbidity	40.4	±6.1%	NTU

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

11-Dec-25	2532963	TNO001	Nokweja Raw	Al (AE)	1459	±7.6%	µg Al/L
11-Dec-25	2532960	TNO001	Nokweja Raw	Coliforms*	>2420	±22%	MPN/100mL
11-Dec-25	2532960	TNO001	Nokweja Raw	Coliphages*	18	±8%	PFU/10mL
11-Dec-25	2532959	TNO001	Nokweja Raw	Coll Time OS*	8:10	-	-
11-Dec-25	2532961	TNO001	Nokweja Raw	Conductivity	6.58	±1.5%	mS/m
11-Dec-25	2532960	TNO001	Nokweja Raw	E.coli*	517	±21%	MPN/100mL
11-Dec-25	2532959	TNO001	Nokweja Raw	pH OS*	7.40	-	-
11-Dec-25	2532959	TNO001	Nokweja Raw	Temperature OS*	19.0	-	°C
11-Dec-25	2532962	TNO001	Nokweja Raw	Turbidity	42.8	±6.1%	NTU
11-Dec-25	2532998	TWA001	Washbank Raw	Al (AE)	1701	±7.6%	µg Al/L
11-Dec-25	2532995	TWA001	Washbank Raw	Coliforms*	>2420	±22%	MPN/100mL
11-Dec-25	2532994	TWA001	Washbank Raw	Coll Time OS*	6:42	-	-
11-Dec-25	2532996	TWA001	Washbank Raw	Conductivity	11.0	±1.5%	mS/m
11-Dec-25	2532995	TWA001	Washbank Raw	E.coli*	579	±21%	MPN/100mL
11-Dec-25	2532994	TWA001	Washbank Raw	pH OS*	7.30	-	-
11-Dec-25	2532994	TWA001	Washbank Raw	Temperature OS*	17.5	-	°C
11-Dec-25	2532997	TWA001	Washbank Raw	Turbidity	49.2	±6.1%	NTU
12-Dec-25	2533329	TIB001	Ibisi Raw	Al (AE)	352	±7.6%	µg Al/L
12-Dec-25	2533326	TIB001	Ibisi Raw	Coliforms*	>2420	±22%	MPN/100mL
12-Dec-25	2533326	TIB001	Ibisi Raw	Coliphages*	57	±8%	PFU/10mL
12-Dec-25	2533325	TIB001	Ibisi Raw	Coll Time OS*	06:20	-	-
12-Dec-25	2533327	TIB001	Ibisi Raw	Conductivity	9.68	±1.5%	mS/m
12-Dec-25	2533326	TIB001	Ibisi Raw	E.coli*	435	±21%	MPN/100mL
12-Dec-25	2533325	TIB001	Ibisi Raw	pH OS*	7.40	-	-
12-Dec-25	2533325	TIB001	Ibisi Raw	Temperature OS*	20.0	-	°C
12-Dec-25	2533328	TIB001	Ibisi Raw	Turbidity	66.3	±6.1%	NTU
12-Dec-25	2533337	TRT001	Rietvlei Raw	Coliforms*	>2420	±22%	MPN/100mL
12-Dec-25	2533336	TRT001	Rietvlei Raw	Coll Time OS*	07:20	-	-
12-Dec-25	2533338	TRT001	Rietvlei Raw	Conductivity	17.0	±1.5%	mS/m
12-Dec-25	2533337	TRT001	Rietvlei Raw	E.coli*	613	±21%	MPN/100mL
12-Dec-25	2533336	TRT001	Rietvlei Raw	pH OS*	7.50	-	-
12-Dec-25	2533336	TRT001	Rietvlei Raw	Temperature OS*	18.4	-	°C
12-Dec-25	2533339	TRT001	Rietvlei Raw	Turbidity	15.9	±6.1%	NTU
15-Dec-25	2534765	TFR001	Franklin Raw	Al (AE)	1463	±7.6%	µg Al/L
15-Dec-25	2534762	TFR001	Franklin Raw	Coliforms*	1733	±22%	MPN/100mL
15-Dec-25	2534761	TFR001	Franklin Raw	Coll Time OS*	8:13	-	-
15-Dec-25	2534764	TFR001	Franklin Raw	Colour	21.6	±6.5%	mg Pt-Co/L
15-Dec-25	2534763	TFR001	Franklin Raw	Conductivity	12.1	±1.5%	mS/m
15-Dec-25	2534762	TFR001	Franklin Raw	E.coli*	579	±21%	MPN/100mL
15-Dec-25	2534765	TFR001	Franklin Raw	Fe (AE)	1.62	±5.4%	mg Fe/L
15-Dec-25	2534765	TFR001	Franklin Raw	Mn (AE)	<0.01	±6.2%	mg Mn/L
15-Dec-25	2534764	TFR001	Franklin Raw	Odour*	Nil	-	-

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

15-Dec-25	2534761	TFR001	Franklin Raw	pH OS*	7.50	-	-
15-Dec-25	2534761	TFR001	Franklin Raw	Temperature OS*	20.9	-	°C
15-Dec-25	2534764	TFR001	Franklin Raw	Turbidity	21.4	±6.1%	NTU
15-Dec-25	2534800	TKK001	Kokstad River Raw	Al (AE)	162	±7.6%	µg Al/L
15-Dec-25	2534797	TKK001	Kokstad River Raw	Coliforms*	6	±22%	MPN/100mL
15-Dec-25	2534797	TKK001	Kokstad River Raw	Coliphages*	4	±8%	PFU/10mL
15-Dec-25	2534796	TKK001	Kokstad River Raw	Coll Time OS*	7:42	-	-
15-Dec-25	2534799	TKK001	Kokstad River Raw	Colour	2.10	±6.5%	mg Pt-Co/L
15-Dec-25	2534798	TKK001	Kokstad River Raw	Conductivity	9.72	±1.5%	mS/m
15-Dec-25	2534797	TKK001	Kokstad River Raw	E.coli*	0	±21%	MPN/100mL
15-Dec-25	2534800	TKK001	Kokstad River Raw	Fe (AE)	0.44	±5.4%	mg Fe/L
15-Dec-25	2534800	TKK001	Kokstad River Raw	Mn (AE)	0.19	±6.2%	mg Mn/L
15-Dec-25	2534799	TKK001	Kokstad River Raw	Odour*	Nil	-	-
15-Dec-25	2534796	TKK001	Kokstad River Raw	pH OS*	7.40	-	-
15-Dec-25	2534796	TKK001	Kokstad River Raw	Temperature OS*	20.4	-	°C
15-Dec-25	2534799	TKK001	Kokstad River Raw	Turbidity	4.7	±6.1%	NTU
15-Dec-25	2534811	TKK003	Kokstad Crystal Spring Raw	Al (AE)	64.3	±7.6%	µg Al/L
15-Dec-25	2534808	TKK003	Kokstad Crystal Spring Raw	Coliforms*	1046	±22%	MPN/100mL
15-Dec-25	2534808	TKK003	Kokstad Crystal Spring Raw	Coliphages*	6	±8%	PFU/10mL
15-Dec-25	2534807	TKK003	Kokstad Crystal Spring Raw	Coll Time OS*	7:57	-	-
15-Dec-25	2534810	TKK003	Kokstad Crystal Spring Raw	Colour	3.60	±6.5%	mg Pt-Co/L
15-Dec-25	2534809	TKK003	Kokstad Crystal Spring Raw	Conductivity	9.51	±1.5%	mS/m
15-Dec-25	2534808	TKK003	Kokstad Crystal Spring Raw	E.coli*	28	±21%	MPN/100mL
15-Dec-25	2534811	TKK003	Kokstad Crystal Spring Raw	Fe (AE)	0.69	±5.4%	mg Fe/L
15-Dec-25	2534810	TKK003	Kokstad Crystal Spring Raw	Odour*	Nil	-	-
15-Dec-25	2534807	TKK003	Kokstad Crystal Spring Raw	pH OS*	7.30	-	-
15-Dec-25	2534807	TKK003	Kokstad Crystal Spring Raw	Temperature OS*	20.0	-	°C
15-Dec-25	2534810	TKK003	Kokstad Crystal Spring Raw	Turbidity	14.9	±6.1%	NTU

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

17-Dec-25	2535675	TBU001	Bulwer Raw	Al (AE)	499	±7.6%	µg Al/L
17-Dec-25	2535672	TBU001	Bulwer Raw	Coliforms*	>2420	±22%	MPN/100mL
17-Dec-25	2535671	TBU001	Bulwer Raw	Coll Time OS*	09:55	-	-
17-Dec-25	2535674	TBU001	Bulwer Raw	Colour	4.50	±6.5%	mg Pt-Co/L
17-Dec-25	2535673	TBU001	Bulwer Raw	Conductivity	4.28	±1.5%	mS/m
17-Dec-25	2535672	TBU001	Bulwer Raw	E.coli*	99	±21%	MPN/100mL
17-Dec-25	2535675	TBU001	Bulwer Raw	Fe (AE)	0.56	±5.4%	mg Fe/L
17-Dec-25	2535674	TBU001	Bulwer Raw	Odour*	Nil	-	-
17-Dec-25	2535671	TBU001	Bulwer Raw	pH OS*	7.30	-	-
17-Dec-25	2535671	TBU001	Bulwer Raw	Temperature OS*	25.0	-	°C
17-Dec-25	2535674	TBU001	Bulwer Raw	Turbidity	8.1	±6.1%	NTU
17-Dec-25	2535690	TCR001	Creighton Raw	Al (AE)	652	±7.6%	µg Al/L
17-Dec-25	2535687	TCR001	Creighton Raw	Coliforms*	2420	±22%	MPN/100mL
17-Dec-25	2535686	TCR001	Creighton Raw	Coll Time OS*	07:20	-	-
17-Dec-25	2535689	TCR001	Creighton Raw	Colour	7.30	±6.5%	mg Pt-Co/L
17-Dec-25	2535688	TCR001	Creighton Raw	Conductivity	6.94	±1.5%	mS/m
17-Dec-25	2535687	TCR001	Creighton Raw	E.coli*	59	±21%	MPN/100mL
17-Dec-25	2535690	TCR001	Creighton Raw	Fe (AE)	0.97	±5.4%	mg Fe/L
17-Dec-25	2535690	TCR001	Creighton Raw	Mn (AE)	<0.01	±6.2%	mg Mn/L
17-Dec-25	2535689	TCR001	Creighton Raw	Odour*	Nil	-	-
17-Dec-25	2535686	TCR001	Creighton Raw	pH OS*	7.40	-	-
17-Dec-25	2535686	TCR001	Creighton Raw	Temperature OS*	20.4	-	°C
17-Dec-25	2535689	TCR001	Creighton Raw	Turbidity	58.6	±6.1%	NTU
17-Dec-25	2535707	THL001	Hlanganani Raw	Coliforms*	>2420	±22%	MPN/100mL
17-Dec-25	2535706	THL001	Hlanganani Raw	Coll Time OS*	10:40	-	-
17-Dec-25	2535709	THL001	Hlanganani Raw	Colour	5.70	±6.5%	mg Pt-Co/L
17-Dec-25	2535708	THL001	Hlanganani Raw	Conductivity	7.25	±1.5%	mS/m
17-Dec-25	2535707	THL001	Hlanganani Raw	E.coli*	238	±21%	MPN/100mL
17-Dec-25	2535709	THL001	Hlanganani Raw	Odour*	Nil	-	-
17-Dec-25	2535706	THL001	Hlanganani Raw	pH OS*	7.30	-	-
17-Dec-25	2535706	THL001	Hlanganani Raw	Temperature OS*	25.8	-	°C
17-Dec-25	2535709	THL001	Hlanganani Raw	Turbidity	81.3	±6.1%	NTU
17-Dec-25	2535732	TMAN001	Mangwaneni Raw	Al (AE)	1118	±7.6%	µg Al/L
17-Dec-25	2535729	TMAN001	Mangwaneni Raw	Coliforms*	>2420	±22%	MPN/100mL
17-Dec-25	2535728	TMAN001	Mangwaneni Raw	Coll Time OS*	10:35	-	-
17-Dec-25	2535731	TMAN001	Mangwaneni Raw	Colour	2.50	±6.5%	mg Pt-Co/L
17-Dec-25	2535730	TMAN001	Mangwaneni Raw	Conductivity	6.88	±1.5%	mS/m
17-Dec-25	2535729	TMAN001	Mangwaneni Raw	E.coli*	261	±21%	MPN/100mL
17-Dec-25	2535732	TMAN001	Mangwaneni Raw	Fe (AE)	0.72	±5.4%	mg Fe/L
17-Dec-25	2535728	TMAN001	Mangwaneni Raw	pH OS*	7.40	-	-
17-Dec-25	2535728	TMAN001	Mangwaneni Raw	Temperature OS*	22.7	-	°C
17-Dec-25	2535731	TMAN001	Mangwaneni Raw	Turbidity	15.0	±6.1%	NTU

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

17-Dec-25	2535751	TMQA001	Mqatsheni Raw	Al (AE)	30.6	±7.6%	µg Al/L
17-Dec-25	2535748	TMQA001	Mqatsheni Raw	Coliforms*	64	±22%	MPN/100mL
17-Dec-25	2535747	TMQA001	Mqatsheni Raw	Coll Time OS*	08:33	-	-
17-Dec-25	2535750	TMQA001	Mqatsheni Raw	Colour	<1.00	±6.5%	mg Pt-Co/L
17-Dec-25	2535749	TMQA001	Mqatsheni Raw	Conductivity	22.8	±1.5%	mS/m
17-Dec-25	2535748	TMQA001	Mqatsheni Raw	E.coli*	1	±21%	MPN/100mL
17-Dec-25	2535751	TMQA001	Mqatsheni Raw	Fe (AE)	<0.02	±5.4%	mg Fe/L
17-Dec-25	2535750	TMQA001	Mqatsheni Raw	Odour*	Nil	-	-
17-Dec-25	2535747	TMQA001	Mqatsheni Raw	pH OS*	8.80	-	-
17-Dec-25	2535747	TMQA001	Mqatsheni Raw	Temperature OS*	20.9	-	°C
17-Dec-25	2535750	TMQA001	Mqatsheni Raw	Turbidity	0.6	±6.1%	NTU
17-Dec-25	2535765	TRV001	Riversside Raw	Al (AE)	4370	±7.6%	µg Al/L
17-Dec-25	2535762	TRV001	Riversside Raw	Coliforms*	326	±22%	MPN/100mL
17-Dec-25	2535761	TRV001	Riversside Raw	Coll Time OS*	08:19	-	-
17-Dec-25	2535764	TRV001	Riversside Raw	Colour	8.30	±6.5%	mg Pt-Co/L
17-Dec-25	2535763	TRV001	Riversside Raw	Conductivity	6.58	±1.5%	mS/m
17-Dec-25	2535762	TRV001	Riversside Raw	E.coli*	4	±21%	MPN/100mL
17-Dec-25	2535765	TRV001	Riversside Raw	Fe (AE)	0.33	±5.4%	mg Fe/L
17-Dec-25	2535764	TRV001	Riversside Raw	Odour*	Nil	-	-
17-Dec-25	2535761	TRV001	Riversside Raw	pH OS*	7.30	-	-
17-Dec-25	2535761	TRV001	Riversside Raw	Temperature OS*	21.0	-	°C
17-Dec-25	2535764	TRV001	Riversside Raw	Turbidity	9.0	±6.1%	NTU
17-Dec-25	2535779	TST001	St Appollinaris Raw	Al (AE)	287	±7.6%	µg Al/L
17-Dec-25	2535776	TST001	St Appollinaris Raw	Coliforms*	727	±22%	MPN/100mL
17-Dec-25	2535775	TST001	St Appollinaris Raw	Coll Time OS*	09:15	-	-
17-Dec-25	2535778	TST001	St Appollinaris Raw	Colour	2.70	±6.5%	mg Pt-Co/L
17-Dec-25	2535777	TST001	St Appollinaris Raw	Conductivity	5.24	±1.5%	mS/m
17-Dec-25	2535776	TST001	St Appollinaris Raw	E.coli*	53	±21%	MPN/100mL
17-Dec-25	2535779	TST001	St Appollinaris Raw	Fe (AE)	0.34	±5.4%	mg Fe/L
17-Dec-25	2535778	TST001	St Appollinaris Raw	Odour*	Nil	-	-
17-Dec-25	2535775	TST001	St Appollinaris Raw	pH OS*	7.30	-	-
17-Dec-25	2535775	TST001	St Appollinaris Raw	Temperature OS*	22.5	-	°C
17-Dec-25	2535778	TST001	St Appollinaris Raw	Turbidity	6.1	±6.1%	NTU
17-Dec-25	2535789	TUN001	Underberg Raw	Al (AE)	121	±7.6%	µg Al/L
17-Dec-25	2535786	TUN001	Underberg Raw	Coliforms*	517	±22%	MPN/100mL
17-Dec-25	2535786	TUN001	Underberg Raw	Coliphages*	0	±8%	PFU/10mL

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

17-Dec-25	2535785	TUN001	Underberg Raw	Coll Time OS*	09:40	-	-
17-Dec-25	2535788	TUN001	Underberg Raw	Colour	2.20	±6.5%	mg Pt-Co/L
17-Dec-25	2535787	TUN001	Underberg Raw	Conductivity	4.83	±1.5%	mS/m
17-Dec-25	2535786	TUN001	Underberg Raw	E.coli*	52	±21%	MPN/100mL
17-Dec-25	2535789	TUN001	Underberg Raw	Fe (AE)	0.20	±5.4%	mg Fe/L
17-Dec-25	2535788	TUN001	Underberg Raw	Odour*	Nil	-	-
17-Dec-25	2535785	TUN001	Underberg Raw	pH OS*	7.50	-	-
17-Dec-25	2535785	TUN001	Underberg Raw	Temperature OS*	22.1	-	°C
17-Dec-25	2535788	TUN001	Underberg Raw	Turbidity	2.2	±6.1%	NTU
18-Dec-25	2536505	TMZ001	Umzimkhulu Raw	Al (AE)	701	±7.6%	µg Al/L
18-Dec-25	2536502	TMZ001	Umzimkhulu Raw	Coliforms*	>2420	±22%	MPN/100mL
18-Dec-25	2536502	TMZ001	Umzimkhulu Raw	Coliphages*	64	±8%	PFU/10mL
18-Dec-25	2536501	TMZ001	Umzimkhulu Raw	Coll Time OS*	08:20	-	-
18-Dec-25	2536503	TMZ001	Umzimkhulu Raw	Conductivity	7.28	±1.5%	mS/m
18-Dec-25	2536502	TMZ001	Umzimkhulu Raw	E.coli*	>2420	±21%	MPN/100mL
18-Dec-25	2536501	TMZ001	Umzimkhulu Raw	pH OS*	7.40	-	-
18-Dec-25	2536501	TMZ001	Umzimkhulu Raw	Temperature OS*	21.2	-	°C
18-Dec-25	2536504	TMZ001	Umzimkhulu Raw	Turbidity	153.0	±6.1%	NTU
18-Dec-25	2536535	TNO001	Nokweja Raw	Al (AE)	4142	±7.6%	µg Al/L
18-Dec-25	2536532	TNO001	Nokweja Raw	Coliforms*	>2420	±22%	MPN/100mL
18-Dec-25	2536532	TNO001	Nokweja Raw	Coliphages*	37	±8%	PFU/10mL
18-Dec-25	2536531	TNO001	Nokweja Raw	Coll Time OS*	07:45	-	-
18-Dec-25	2536534	TNO001	Nokweja Raw	Colour	7.40	±6.5%	mg Pt-Co/L
18-Dec-25	2536533	TNO001	Nokweja Raw	Conductivity	6.91	±1.5%	mS/m
18-Dec-25	2536532	TNO001	Nokweja Raw	E.coli*	2420	±21%	MPN/100mL
18-Dec-25	2536535	TNO001	Nokweja Raw	Fe (AE)	1.10	±5.4%	mg Fe/L
18-Dec-25	2536534	TNO001	Nokweja Raw	Odour*	Mild Earthy	-	-
18-Dec-25	2536531	TNO001	Nokweja Raw	pH OS*	7.40	-	-
18-Dec-25	2536531	TNO001	Nokweja Raw	Temperature OS*	19.8	-	°C
18-Dec-25	2536534	TNO001	Nokweja Raw	Turbidity	66.7	±6.1%	NTU
18-Dec-25	2534879	TQU001	Mnqumeni Raw	Coliforms*	>2420	±22%	MPN/100mL
18-Dec-25	2534878	TQU001	Mnqumeni Raw	Coll Time OS*	06:21	-	-
18-Dec-25	2534880	TQU001	Mnqumeni Raw	Conductivity	10.6	±1.5%	mS/m
18-Dec-25	2534879	TQU001	Mnqumeni Raw	E.coli*	186	±21%	MPN/100mL
18-Dec-25	2534878	TQU001	Mnqumeni Raw	pH OS*	7.30	-	-
18-Dec-25	2534878	TQU001	Mnqumeni Raw	Temperature OS*	19.8	-	°C
18-Dec-25	2534881	TQU001	Mnqumeni Raw	Turbidity	31.0	±6.1%	NTU
18-Dec-25	2534895	TSQ001	Esiqanduleni Raw	Al (AE)	471	±7.6%	µg Al/L
18-Dec-25	2534892	TSQ001	Esiqanduleni Raw	Coliforms*	>2420	±22%	MPN/100mL
18-Dec-25	2534892	TSQ001	Esiqanduleni Raw	Coliphages*	12	±8%	PFU/10mL

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

18-Dec-25	2534891	TSQ001	Esiqanduleni Raw	Coll Time OS*	09:28	-	-
18-Dec-25	2534893	TSQ001	Esiqanduleni Raw	Conductivity	7.13	±1.5%	mS/m
18-Dec-25	2534892	TSQ001	Esiqanduleni Raw	E.coli*	228	±21%	MPN/100mL
18-Dec-25	2534891	TSQ001	Esiqanduleni Raw	pH OS*	7.50	-	-
18-Dec-25	2534891	TSQ001	Esiqanduleni Raw	Temperature OS*	23.3	-	°C
18-Dec-25	2534894	TSQ001	Esiqanduleni Raw	Turbidity	32.3	±6.1%	NTU
18-Dec-25	2536590	TWA001	Washbank Raw	Al (AE)	2461	±7.6%	µg Al/L
18-Dec-25	2536587	TWA001	Washbank Raw	Coliforms*	>2420	±22%	MPN/100mL
18-Dec-25	2536586	TWA001	Washbank Raw	Coll Time OS*	07:55	-	-
18-Dec-25	2536589	TWA001	Washbank Raw	Colour	1.30	±6.5%	mg Pt-Co/L
18-Dec-25	2536588	TWA001	Washbank Raw	Conductivity	10.2	±1.5%	mS/m
18-Dec-25	2536587	TWA001	Washbank Raw	E.coli*	>2420	±21%	MPN/100mL
18-Dec-25	2536590	TWA001	Washbank Raw	Fe (AE)	0.62	±5.4%	mg Fe/L
18-Dec-25	2536589	TWA001	Washbank Raw	Odour*	Nil	-	-
18-Dec-25	2536586	TWA001	Washbank Raw	pH OS*	7.40	-	-
18-Dec-25	2536586	TWA001	Washbank Raw	Temperature OS*	20.2	-	°C
18-Dec-25	2536589	TWA001	Washbank Raw	Turbidity	150.0	±6.1%	NTU
19-Dec-25	2536908	TIB001	Ibisi Raw	Al (AE)	714	±7.6%	µg Al/L
19-Dec-25	2536905	TIB001	Ibisi Raw	Coliforms*	>2420	±22%	MPN/100mL
19-Dec-25	2536905	TIB001	Ibisi Raw	Coliphages*	7	±8%	PFU/10mL
19-Dec-25	2536904	TIB001	Ibisi Raw	Coll Time OS*	6:55	-	-
19-Dec-25	2536907	TIB001	Ibisi Raw	Colour	11.2	±6.5%	mg Pt-Co/L
19-Dec-25	2536906	TIB001	Ibisi Raw	Conductivity	9.58	±1.5%	mS/m
19-Dec-25	2536905	TIB001	Ibisi Raw	E.coli*	155	±21%	MPN/100mL
19-Dec-25	2536908	TIB001	Ibisi Raw	Fe (AE)	0.69	±5.4%	mg Fe/L
19-Dec-25	2536907	TIB001	Ibisi Raw	Odour*	Nil	-	-
19-Dec-25	2536904	TIB001	Ibisi Raw	pH OS*	7.30	-	-
19-Dec-25	2536904	TIB001	Ibisi Raw	Temperature OS*	20.9	-	°C
19-Dec-25	2536907	TIB001	Ibisi Raw	Turbidity	31.1	±6.1%	NTU
19-Dec-25	2536920	TRT001	Rietvlei Raw	Coliforms*	>2420	±22%	MPN/100mL
19-Dec-25	2536919	TRT001	Rietvlei Raw	Coll Time OS*	6:20	-	-
19-Dec-25	2536922	TRT001	Rietvlei Raw	Colour	5.70	±6.5%	mg Pt-Co/L
19-Dec-25	2536921	TRT001	Rietvlei Raw	Conductivity	17.3	±1.5%	mS/m
19-Dec-25	2536920	TRT001	Rietvlei Raw	E.coli*	365	±21%	MPN/100mL
19-Dec-25	2536922	TRT001	Rietvlei Raw	Odour*	Nil	-	-
19-Dec-25	2536919	TRT001	Rietvlei Raw	pH OS*	7.30	-	-
19-Dec-25	2536919	TRT001	Rietvlei Raw	Temperature OS*	20.2	-	°C
19-Dec-25	2536922	TRT001	Rietvlei Raw	Turbidity	11.4	±6.1%	NTU
22-Dec-25	2539061	TFR001	Franklin Raw	Al (AE)	426	±7.6%	µg Al/L

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

22-Dec-25	2539058	TFR001	Franklin Raw	Coliforms*	>2420	±22%	MPN/100mL
22-Dec-25	2539057	TFR001	Franklin Raw	Coll Time OS*	07:50	-	-
22-Dec-25	2539060	TFR001	Franklin Raw	Colour	13.5	±6.5%	mg Pt-Co/L
22-Dec-25	2539059	TFR001	Franklin Raw	Conductivity	10.2	±1.5%	mS/m
22-Dec-25	2539058	TFR001	Franklin Raw	E.coli*	1203	±21%	MPN/100mL
22-Dec-25	2539057	TFR001	Franklin Raw	pH OS*	7.30	-	-
22-Dec-25	2539057	TFR001	Franklin Raw	Temperature OS*	20.1	-	°C
22-Dec-25	2539060	TFR001	Franklin Raw	Turbidity	32.7	±6.1%	NTU
22-Dec-25	2539084	TIB001	Ibisi Raw	AI (AE)	777	±7.6%	µg AI/L
22-Dec-25	2539081	TIB001	Ibisi Raw	Coliforms*	>2420	±22%	MPN/100mL
22-Dec-25	2539081	TIB001	Ibisi Raw	Coliphages*	>500	±8%	PFU/10mL
22-Dec-25	2539080	TIB001	Ibisi Raw	Coll Time OS*	08:31	-	-
22-Dec-25	2539082	TIB001	Ibisi Raw	Conductivity	9.10	±1.5%	mS/m
22-Dec-25	2539081	TIB001	Ibisi Raw	E.coli*	>2420	±21%	MPN/100mL
22-Dec-25	2539080	TIB001	Ibisi Raw	pH OS*	7.30	-	-
22-Dec-25	2539080	TIB001	Ibisi Raw	Temperature OS*	20.1	-	°C
22-Dec-25	2539083	TIB001	Ibisi Raw	Turbidity	231.0	±6.1%	NTU
22-Dec-25	2539095	TKK001	Kokstad River Raw	AI (AE)	390	±7.6%	µg AI/L
22-Dec-25	2539092	TKK001	Kokstad River Raw	Coliforms*	>2420	±22%	MPN/100mL
22-Dec-25	2539092	TKK001	Kokstad River Raw	Coliphages*	9	±8%	PFU/10mL
22-Dec-25	2539091	TKK001	Kokstad River Raw	Coll Time OS*	08:30	-	-
22-Dec-25	2539093	TKK001	Kokstad River Raw	Conductivity	11.7	±1.5%	mS/m
22-Dec-25	2539092	TKK001	Kokstad River Raw	E.coli*	135	±21%	MPN/100mL
22-Dec-25	2539091	TKK001	Kokstad River Raw	pH OS*	7.40	-	-
22-Dec-25	2539091	TKK001	Kokstad River Raw	Temperature OS*	21.3	-	°C
22-Dec-25	2539094	TKK001	Kokstad River Raw	Turbidity	23.5	±6.1%	NTU
22-Dec-25	2539106	TKK003	Kokstad Crystal Spring Raw	AI (AE)	104	±7.6%	µg AI/L
22-Dec-25	2539103	TKK003	Kokstad Crystal Spring Raw	Coliforms*	127	±22%	MPN/100mL
22-Dec-25	2539103	TKK003	Kokstad Crystal Spring Raw	Coliphages*	10	±8%	PFU/10mL
22-Dec-25	2539102	TKK003	Kokstad Crystal Spring Raw	Coll Time OS*	08:40	-	-
22-Dec-25	2539104	TKK003	Kokstad Crystal Spring Raw	Conductivity	9.61	±1.5%	mS/m
22-Dec-25	2539103	TKK003	Kokstad Crystal Spring Raw	E.coli*	12	±21%	MPN/100mL
22-Dec-25	2539102	TKK003	Kokstad Crystal Spring Raw	pH OS*	7.40	-	-

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

22-Dec-25	2539102	TKK003	Kokstad Crystal Spring Raw	Temperature OS*	21.7	-	°C
22-Dec-25	2539105	TKK003	Kokstad Crystal Spring Raw	Turbidity	8.0	±6.1%	NTU
22-Dec-25	2540595	TRT001	Rietvlei Raw	Coliforms*	1011	±22%	MPN/100mL
22-Dec-25	2540594	TRT001	Rietvlei Raw	Coll Time OS*	09:15	-	-
22-Dec-25	2540596	TRT001	Rietvlei Raw	Conductivity	17.4	±1.5%	mS/m
22-Dec-25	2540595	TRT001	Rietvlei Raw	E.coli*	1011	±21%	MPN/100mL
22-Dec-25	2540594	TRT001	Rietvlei Raw	pH OS*	7.30	-	-
22-Dec-25	2540594	TRT001	Rietvlei Raw	Temperature OS*	21.0	-	°C
22-Dec-25	2540597	TRT001	Rietvlei Raw	Turbidity	6.6	±6.1%	NTU
23-Dec-25	2540584	TMZ001	Umzimkhulu Raw	Al (AE)	632	±7.6%	µg Al/L
23-Dec-25	2540581	TMZ001	Umzimkhulu Raw	Coliforms*	>2420	±22%	MPN/100mL
23-Dec-25	2540581	TMZ001	Umzimkhulu Raw	Coliphages*	156	±8%	PFU/10mL
23-Dec-25	2540580	TMZ001	Umzimkhulu Raw	Coll Time OS*	7:26	-	-
23-Dec-25	2540582	TMZ001	Umzimkhulu Raw	Conductivity	5.83	±1.5%	mS/m
23-Dec-25	2540581	TMZ001	Umzimkhulu Raw	E.coli*	613	±21%	MPN/100mL
23-Dec-25	2540580	TMZ001	Umzimkhulu Raw	pH OS*	7.40	-	-
23-Dec-25	2540580	TMZ001	Umzimkhulu Raw	Temperature OS*	22.4	-	°C
23-Dec-25	2540583	TMZ001	Umzimkhulu Raw	Turbidity	54.4	±6.1%	NTU
23-Dec-25	2539142	TNO001	Nokweja Raw	Al (AE)	785	±7.6%	µg Al/L
23-Dec-25	2539139	TNO001	Nokweja Raw	Coliforms*	>2420	±22%	MPN/100mL
23-Dec-25	2539139	TNO001	Nokweja Raw	Coliphages*	218	±8%	PFU/10mL
23-Dec-25	2539138	TNO001	Nokweja Raw	Coll Time OS*	8:30	-	-
23-Dec-25	2539140	TNO001	Nokweja Raw	Conductivity	5.61	±1.5%	mS/m
23-Dec-25	2539139	TNO001	Nokweja Raw	E.coli*	613	±21%	MPN/100mL
23-Dec-25	2539138	TNO001	Nokweja Raw	pH OS*	7.50	-	-
23-Dec-25	2539138	TNO001	Nokweja Raw	Temperature OS*	23.5	-	°C
23-Dec-25	2539141	TNO001	Nokweja Raw	Turbidity	64.0	±6.1%	NTU
23-Dec-25	2539749	TQU001	Mnqumeni Raw	Coliforms*	579	±22%	MPN/100mL
23-Dec-25	2539748	TQU001	Mnqumeni Raw	Coll Time OS*	5:44	-	-
23-Dec-25	2539751	TQU001	Mnqumeni Raw	Colour	7.70	±6.5%	mg Pt-Co/L
23-Dec-25	2539750	TQU001	Mnqumeni Raw	Conductivity	15.7	±1.5%	mS/m
23-Dec-25	2539749	TQU001	Mnqumeni Raw	E.coli*	41	±21%	MPN/100mL
23-Dec-25	2539751	TQU001	Mnqumeni Raw	Odour*	Mild Earthy	-	-
23-Dec-25	2539748	TQU001	Mnqumeni Raw	pH OS*	7.30	-	-
23-Dec-25	2539748	TQU001	Mnqumeni Raw	Temperature OS*	19.0	-	°C
23-Dec-25	2539751	TQU001	Mnqumeni Raw	Turbidity	39.7	±6.1%	NTU
23-Dec-25	2539762	TSQ001	Esiqanduleni Raw	Al (AE)	768	±7.6%	µg Al/L
23-Dec-25	2539759	TSQ001	Esiqanduleni Raw	Coliforms*	>24196	±22%	MPN/100mL
23-Dec-25	2539759	TSQ001	Esiqanduleni Raw	Coliphages*	>500	±8%	PFU/10mL

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

23-Dec-25	2539758	TSQ001	Esiqanduleni Raw	Coll Time OS*	7:00	-	-
23-Dec-25	2539761	TSQ001	Esiqanduleni Raw	Colour	2.50	±6.5%	mg Pt-Co/L
23-Dec-25	2539760	TSQ001	Esiqanduleni Raw	Conductivity	6.03	±1.5%	mS/m
23-Dec-25	2539759	TSQ001	Esiqanduleni Raw	E.coli*	8164	±21%	MPN/100mL
23-Dec-25	2539762	TSQ001	Esiqanduleni Raw	Fe (AE)	0.61	±5.4%	mg Fe/L
23-Dec-25	2539762	TSQ001	Esiqanduleni Raw	Mn (AE)	0.25	±6.2%	mg Mn/L
23-Dec-25	2539761	TSQ001	Esiqanduleni Raw	Odour*	Nil	-	-
23-Dec-25	2539758	TSQ001	Esiqanduleni Raw	pH OS*	7.50	-	-
23-Dec-25	2539758	TSQ001	Esiqanduleni Raw	Temperature OS*	22.6	-	°C
23-Dec-25	2539761	TSQ001	Esiqanduleni Raw	Turbidity	713.0	±6.1%	NTU
23-Dec-25	2539784	TWA001	Washbank Raw	Al (AE)	1925	±7.6%	µg Al/L
23-Dec-25	2539781	TWA001	Washbank Raw	Coliforms*	>2420	±22%	MPN/100mL
23-Dec-25	2539780	TWA001	Washbank Raw	Coll Time OS*	7:26	-	-
23-Dec-25	2539782	TWA001	Washbank Raw	Conductivity	11.5	±1.5%	mS/m
23-Dec-25	2539781	TWA001	Washbank Raw	E.coli*	285	±21%	MPN/100mL
23-Dec-25	2539780	TWA001	Washbank Raw	pH OS*	7.40	-	-
23-Dec-25	2539780	TWA001	Washbank Raw	Temperature OS*	22.4	-	°C
23-Dec-25	2539783	TWA001	Washbank Raw	Turbidity	44.5	±6.1%	NTU
24-Dec-25	2540520	TBU001	Bulwer Raw	Al (AE)	241	±7.6%	µg Al/L
24-Dec-25	2540517	TBU001	Bulwer Raw	Coliforms*	>2420	±22%	MPN/100mL
24-Dec-25	2540516	TBU001	Bulwer Raw	Coll Time OS*	07:31	-	-
24-Dec-25	2540519	TBU001	Bulwer Raw	Colour	3.80	±6.5%	mg Pt-Co/L
24-Dec-25	2540518	TBU001	Bulwer Raw	Conductivity	4.83	±1.5%	mS/m
24-Dec-25	2540517	TBU001	Bulwer Raw	E.coli*	214	±21%	MPN/100mL
24-Dec-25	2540516	TBU001	Bulwer Raw	pH OS*	7.50	-	-
24-Dec-25	2540516	TBU001	Bulwer Raw	Temperature OS*	19.4	-	°C
24-Dec-25	2540519	TBU001	Bulwer Raw	Turbidity	9.0	±6.1%	NTU
24-Dec-25	2540530	TCR001	Creighton Raw	Al (AE)	524	±7.6%	µg Al/L
24-Dec-25	2540527	TCR001	Creighton Raw	Coliforms*	1733	±22%	MPN/100mL
24-Dec-25	2540526	TCR001	Creighton Raw	Coll Time OS*	05:12	-	-
24-Dec-25	2540529	TCR001	Creighton Raw	Colour	6.90	±6.5%	mg Pt-Co/L
24-Dec-25	2540528	TCR001	Creighton Raw	Conductivity	7.02	±1.5%	mS/m
24-Dec-25	2540527	TCR001	Creighton Raw	E.coli*	91	±21%	MPN/100mL
24-Dec-25	2540526	TCR001	Creighton Raw	pH OS*	7.50	-	-
24-Dec-25	2540526	TCR001	Creighton Raw	Temperature OS*	17.3	-	°C
24-Dec-25	2540529	TCR001	Creighton Raw	Turbidity	35.5	±6.1%	NTU
24-Dec-25	2540538	THL001	Hlanganani Raw	Coliforms*	>24196	±22%	MPN/100mL

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

24-Dec-25	2540537	THL001	Hlanganani Raw	Coll Time OS*	08:00	-	-
24-Dec-25	2540539	THL001	Hlanganani Raw	Conductivity	6.08	±1.5%	mS/m
24-Dec-25	2540538	THL001	Hlanganani Raw	E.coli*	4611	±21%	MPN/100mL
24-Dec-25	2540537	THL001	Hlanganani Raw	pH OS*	7.40	-	-
24-Dec-25	2540537	THL001	Hlanganani Raw	Temperature OS*	20.2	-	°C
24-Dec-25	2540540	THL001	Hlanganani Raw	Turbidity	582.0	±6.1%	NTU
24-Dec-25	2540572	TMQA001	Mqatsheni Raw	Coliforms*	0	±22%	MPN/100mL
24-Dec-25	2540571	TMQA001	Mqatsheni Raw	Coll Time OS*	05:54	-	-
24-Dec-25	2540574	TMQA001	Mqatsheni Raw	Colour	<1.00	±6.5%	mg Pt-Co/L
24-Dec-25	2540573	TMQA001	Mqatsheni Raw	Conductivity	37.5	±1.5%	mS/m
24-Dec-25	2540572	TMQA001	Mqatsheni Raw	E.coli*	0	±21%	MPN/100mL
24-Dec-25	2540571	TMQA001	Mqatsheni Raw	pH OS*	8.80	-	-
24-Dec-25	2540571	TMQA001	Mqatsheni Raw	Temperature OS*	19.4	-	°C
24-Dec-25	2540574	TMQA001	Mqatsheni Raw	Turbidity	1.8	±6.1%	NTU
24-Dec-25	2540607	TRV001	Riversside Raw	AI (AE)	1701	±7.6%	µg AI/L
24-Dec-25	2540604	TRV001	Riversside Raw	Coliforms*	>2420	±22%	MPN/100mL
24-Dec-25	2540603	TRV001	Riversside Raw	Coll Time OS*	06:12	-	-
24-Dec-25	2540606	TRV001	Riversside Raw	Colour	1.90	±6.5%	mg Pt-Co/L
24-Dec-25	2540605	TRV001	Riversside Raw	Conductivity	6.48	±1.5%	mS/m
24-Dec-25	2540604	TRV001	Riversside Raw	E.coli*	102	±21%	MPN/100mL
24-Dec-25	2540603	TRV001	Riversside Raw	pH OS*	7.50	-	-
24-Dec-25	2540603	TRV001	Riversside Raw	Temperature OS*	18.2	-	°C
24-Dec-25	2540606	TRV001	Riversside Raw	Turbidity	21.0	±6.1%	NTU
24-Dec-25	2540617	TST001	St Appollinaris Raw	AI (AE)	307	±7.6%	µg AI/L
24-Dec-25	2540614	TST001	St Appollinaris Raw	Coliforms*	1986	±22%	MPN/100mL
24-Dec-25	2540613	TST001	St Appollinaris Raw	Coll Time OS*	07:31	-	-
24-Dec-25	2540615	TST001	St Appollinaris Raw	Conductivity	4.54	±1.5%	mS/m
24-Dec-25	2540614	TST001	St Appollinaris Raw	E.coli*	93	±21%	MPN/100mL
24-Dec-25	2540613	TST001	St Appollinaris Raw	pH OS*	7.40	-	-
24-Dec-25	2540613	TST001	St Appollinaris Raw	Temperature OS*	17.3	-	°C
24-Dec-25	2540616	TST001	St Appollinaris Raw	Turbidity	11.6	±6.1%	NTU
24-Dec-25	2540631	TUN001	Underberg Raw	AI (AE)	141	±7.6%	µg AI/L
24-Dec-25	2540628	TUN001	Underberg Raw	Coliforms*	2420	±22%	MPN/100mL
24-Dec-25	2540628	TUN001	Underberg Raw	Coliphages*	3	±8%	PFU/10mL
24-Dec-25	2540627	TUN001	Underberg Raw	Coll Time OS*	06:44	-	-
24-Dec-25	2540629	TUN001	Underberg Raw	Conductivity	4.04	±1.5%	mS/m
24-Dec-25	2540628	TUN001	Underberg Raw	E.coli*	48	±21%	MPN/100mL
24-Dec-25	2540627	TUN001	Underberg Raw	pH OS*	7.50	-	-

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

Board Members: Adv. SB Khuzwayo SC (Chairperson) | Ms. NN Mkhize (Deputy Chairperson) | Mr. TJ Cornish | Adv. LN Gopaul | Ms. DG Hoorzok | Ms. S Masango | Ms. TS Mhlongo | Mr. SW Mkhize | Adv. KI Mshengu | Mr. SM Mtolo | Ms. H Mvubu | Mr. KS Shandu | Mr. SP Mkhize (Chief Executive) | Mr. TS Mkhwanazi (Chief Financial Officer)

24-Dec-25	2540627	TUN001	Underberg Raw	Temperature OS*	20.0	-	°C
24-Dec-25	2540630	TUN001	Underberg Raw	Turbidity	4.4	±6.1%	NTU
29-Dec-25	2541364	TFR001	Franklin Raw	AI (AE)	379	±7.6%	µg AI/L
29-Dec-25	2541361	TFR001	Franklin Raw	Coliforms*	>2420	±22%	MPN/100mL
29-Dec-25	2541360	TFR001	Franklin Raw	Coll Time OS*	6:40	-	-
29-Dec-25	2541363	TFR001	Franklin Raw	Colour	4.40	±6.5%	mg Pt-Co/L
29-Dec-25	2541362	TFR001	Franklin Raw	Conductivity	10.3	±1.5%	mS/m
29-Dec-25	2541361	TFR001	Franklin Raw	E.coli*	866	±21%	MPN/100mL
29-Dec-25	2541360	TFR001	Franklin Raw	pH OS*	7.50	-	-
29-Dec-25	2541360	TFR001	Franklin Raw	Temperature OS*	20.2	-	°C
29-Dec-25	2541363	TFR001	Franklin Raw	Turbidity	39.3	±6.1%	NTU
29-Dec-25	2541392	TKK001	Kokstad River Raw	AI (AE)	407	±7.6%	µg AI/L
29-Dec-25	2541389	TKK001	Kokstad River Raw	Coliforms*	649	±22%	MPN/100mL
29-Dec-25	2541389	TKK001	Kokstad River Raw	Coliphages*	6	±8%	PFU/10mL
29-Dec-25	2541388	TKK001	Kokstad River Raw	Coll Time OS*	6:15	-	-
29-Dec-25	2541390	TKK001	Kokstad River Raw	Conductivity	12.1	±1.5%	mS/m
29-Dec-25	2541389	TKK001	Kokstad River Raw	E.coli*	23	±21%	MPN/100mL
29-Dec-25	2541388	TKK001	Kokstad River Raw	pH OS*	7.60	-	-
29-Dec-25	2541388	TKK001	Kokstad River Raw	Temperature OS*	20.1	-	°C
29-Dec-25	2541391	TKK001	Kokstad River Raw	Turbidity	22.9	±6.1%	NTU
29-Dec-25	2541403	TKK003	Kokstad Crystal Spring Raw	AI (AE)	157	±7.6%	µg AI/L
29-Dec-25	2541400	TKK003	Kokstad Crystal Spring Raw	Coliforms*	238	±22%	MPN/100mL
29-Dec-25	2541400	TKK003	Kokstad Crystal Spring Raw	Coliphages*	6	±8%	PFU/10mL
29-Dec-25	2541399	TKK003	Kokstad Crystal Spring Raw	Coll Time OS*	6:20	-	-
29-Dec-25	2541401	TKK003	Kokstad Crystal Spring Raw	Conductivity	9.64	±1.5%	mS/m
29-Dec-25	2541400	TKK003	Kokstad Crystal Spring Raw	E.coli*	20	±21%	MPN/100mL
29-Dec-25	2541399	TKK003	Kokstad Crystal Spring Raw	pH OS*	7.60	-	-
29-Dec-25	2541399	TKK003	Kokstad Crystal Spring Raw	Temperature OS*	20.1	-	°C
29-Dec-25	2541402	TKK003	Kokstad Crystal Spring Raw	Turbidity	9.9	±6.1%	NTU
29-Dec-25	2543525	TRT001	Rietvlei Raw	Coliforms*	>2420	±22%	MPN/100mL
29-Dec-25	2543524	TRT001	Rietvlei Raw	Coll Time OS*	7:41	-	-
29-Dec-25	2543526	TRT001	Rietvlei Raw	Conductivity	15.2	±1.5%	mS/m

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

29-Dec-25	2543525	TRT001	Rietvlei Raw	E.coli*	1120	±21%	MPN/100mL
29-Dec-25	2543524	TRT001	Rietvlei Raw	pH OS*	7.60	-	-
29-Dec-25	2543524	TRT001	Rietvlei Raw	Temperature OS*	19.4	-	°C
29-Dec-25	2543527	TRT001	Rietvlei Raw	Turbidity	92.2	±6.1%	NTU
30-Dec-25	2542626	TMZ001	Umzimkhulu Raw	Al (AE)	27484	±7.6%	µg Al/L
30-Dec-25	2542623	TMZ001	Umzimkhulu Raw	Coliforms*	>2420	±22%	MPN/100mL
30-Dec-25	2542623	TMZ001	Umzimkhulu Raw	Coliphages*	31	±8%	PFU/10mL
30-Dec-25	2542622	TMZ001	Umzimkhulu Raw	Coll Time OS*	10:10	-	-
30-Dec-25	2542624	TMZ001	Umzimkhulu Raw	Conductivity	5.41	±1.5%	mS/m
30-Dec-25	2542623	TMZ001	Umzimkhulu Raw	E.coli*	219	±21%	MPN/100mL
30-Dec-25	2542622	TMZ001	Umzimkhulu Raw	pH OS*	7.50	-	-
30-Dec-25	2542622	TMZ001	Umzimkhulu Raw	Temperature OS*	24.2	-	°C
30-Dec-25	2542625	TMZ001	Umzimkhulu Raw	Turbidity	38.2	±6.1%	NTU
30-Dec-25	2543227	TNO001	Nokweja Raw	Al (AE)	591	±7.6%	µg Al/L
30-Dec-25	2543224	TNO001	Nokweja Raw	Coliforms*	>2420	±22%	MPN/100mL
30-Dec-25	2543224	TNO001	Nokweja Raw	Coliphages*	83	±8%	PFU/10mL
30-Dec-25	2543223	TNO001	Nokweja Raw	Coll Time OS*	07:12	-	-
30-Dec-25	2543225	TNO001	Nokweja Raw	Conductivity	5.03	±1.5%	mS/m
30-Dec-25	2543224	TNO001	Nokweja Raw	E.coli*	770	±21%	MPN/100mL
30-Dec-25	2543223	TNO001	Nokweja Raw	pH OS*	7.40	-	-
30-Dec-25	2543223	TNO001	Nokweja Raw	Temperature OS*	20.4	-	°C
30-Dec-25	2543226	TNO001	Nokweja Raw	Turbidity	44.5	±6.1%	NTU
30-Dec-25	2541924	TQU001	Mnqumeni Raw	Coliforms*	866	±22%	MPN/100mL
30-Dec-25	2541923	TQU001	Mnqumeni Raw	Coll Time OS*	07:17	-	-
30-Dec-25	2541925	TQU001	Mnqumeni Raw	Conductivity	23.3	±1.5%	mS/m
30-Dec-25	2541924	TQU001	Mnqumeni Raw	E.coli*	28	±21%	MPN/100mL
30-Dec-25	2541923	TQU001	Mnqumeni Raw	pH OS*	7.40	-	-
30-Dec-25	2541923	TQU001	Mnqumeni Raw	Temperature OS*	22.5	-	°C
30-Dec-25	2541926	TQU001	Mnqumeni Raw	Turbidity	77.1	±6.1%	NTU
30-Dec-25	2541941	TSQ001	Esiqanduleni Raw	Al (AE)	528	±7.6%	µg Al/L
30-Dec-25	2541938	TSQ001	Esiqanduleni Raw	Coliforms*	>2420	±22%	MPN/100mL
30-Dec-25	2541938	TSQ001	Esiqanduleni Raw	Coliphages*	8	±8%	PFU/10mL
30-Dec-25	2541937	TSQ001	Esiqanduleni Raw	Coll Time OS*	08:10	-	-
30-Dec-25	2541939	TSQ001	Esiqanduleni Raw	Conductivity	6.50	±1.5%	mS/m
30-Dec-25	2541938	TSQ001	Esiqanduleni Raw	E.coli*	152	±21%	MPN/100mL
30-Dec-25	2541937	TSQ001	Esiqanduleni Raw	pH OS*	7.40	-	-
30-Dec-25	2541937	TSQ001	Esiqanduleni Raw	Temperature OS*	20.7	-	°C

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

Board Members: Adv. SB Khuzwayo SC (Chairperson) | Ms. NN Mkhize (Deputy Chairperson) | Mr. TJ Cornish | Adv. LN Gopaul | Ms. DG Hoorzok | Ms. S Masango | Ms. TS Mhlongo | Mr. SW Mkhize | Adv. KI Mshengu | Mr. SM Mtolo | Ms. H Mvubu | Mr. KS Shandu | Mr. SP Mkhize (**Chief Executive**) | Mr. TS Mkhwanazi (**Chief Financial Officer**)

30-Dec-25	2541940	TSQ001	Esiqanduleni Raw	Turbidity	32.2	±6.1%	NTU
30-Dec-25	2543249	TWA001	Washbank Raw	AI (AE)	2294	±7.6%	µg AI/L
30-Dec-25	2543246	TWA001	Washbank Raw	Coliforms*	>2420	±22%	MPN/100mL
30-Dec-25	2543245	TWA001	Washbank Raw	Coll Time OS*	09:38	-	-
30-Dec-25	2543247	TWA001	Washbank Raw	Conductivity	10.4	±1.5%	mS/m
30-Dec-25	2543246	TWA001	Washbank Raw	E.coli*	613	±21%	MPN/100mL
30-Dec-25	2543245	TWA001	Washbank Raw	pH OS*	7.40	-	-
30-Dec-25	2543245	TWA001	Washbank Raw	Temperature OS*	23.0	-	°C
30-Dec-25	2543248	TWA001	Washbank Raw	Turbidity	61.9	±6.1%	NTU
31-Dec-25	2542538	TBU001	Bulwer Raw	AI (AE)	1217	±7.6%	µg AI/L
31-Dec-25	2542535	TBU001	Bulwer Raw	Coliforms*	>2420	±22%	MPN/100mL
31-Dec-25	2542534	TBU001	Bulwer Raw	Coll Time OS*	08:33	-	-
31-Dec-25	2542537	TBU001	Bulwer Raw	Colour	5.60	±6.5%	mg Pt-Co/L
31-Dec-25	2542536	TBU001	Bulwer Raw	Conductivity	4.66	±1.5%	mS/m
31-Dec-25	2542535	TBU001	Bulwer Raw	E.coli*	378	±21%	MPN/100mL
31-Dec-25	2542537	TBU001	Bulwer Raw	Odour*	Nil	-	-
31-Dec-25	2542534	TBU001	Bulwer Raw	pH OS*	7.30	-	-
31-Dec-25	2542534	TBU001	Bulwer Raw	Temperature OS*	19.8	-	°C
31-Dec-25	2542537	TBU001	Bulwer Raw	Turbidity	18.0	±6.1%	NTU
31-Dec-25	2542553	TCR001	Creighton Raw	AI (AE)	1433	±7.6%	µg AI/L
31-Dec-25	2542550	TCR001	Creighton Raw	Coliforms*	>2420	±22%	MPN/100mL
31-Dec-25	2542549	TCR001	Creighton Raw	Coll Time OS*	06:42	-	-
31-Dec-25	2542552	TCR001	Creighton Raw	Colour	5.10	±6.5%	mg Pt-Co/L
31-Dec-25	2542551	TCR001	Creighton Raw	Conductivity	7.07	±1.5%	mS/m
31-Dec-25	2542550	TCR001	Creighton Raw	E.coli*	214	±21%	MPN/100mL
31-Dec-25	2542549	TCR001	Creighton Raw	pH OS*	7.30	-	-
31-Dec-25	2542549	TCR001	Creighton Raw	Temperature OS*	19.5	-	°C
31-Dec-25	2542552	TCR001	Creighton Raw	Turbidity	43.5	±6.1%	NTU
31-Dec-25	2542571	THL001	Hlanganani Raw	Coliforms*	2420	±22%	MPN/100mL
31-Dec-25	2542570	THL001	Hlanganani Raw	Coll Time OS*	09:08	-	-
31-Dec-25	2542572	THL001	Hlanganani Raw	Conductivity	8.34	±1.5%	mS/m
31-Dec-25	2542571	THL001	Hlanganani Raw	E.coli*	81	±21%	MPN/100mL
31-Dec-25	2542570	THL001	Hlanganani Raw	pH OS*	7.50	-	-
31-Dec-25	2542570	THL001	Hlanganani Raw	Temperature OS*	21.3	-	°C
31-Dec-25	2542573	THL001	Hlanganani Raw	Turbidity	48.2	±6.1%	NTU
31-Dec-25	2542609	TMQA001	Mqatsheni Raw	Coliforms*	2	±22%	MPN/100mL
31-Dec-25	2542608	TMQA001	Mqatsheni Raw	Coll Time OS*	06:48	-	-
31-Dec-25	2542611	TMQA001	Mqatsheni Raw	Colour	<1.00	±6.5%	mg Pt-Co/L
31-Dec-25	2542610	TMQA001	Mqatsheni Raw	Conductivity	22.7	±1.5%	mS/m
31-Dec-25	2542609	TMQA001	Mqatsheni Raw	E.coli*	0	±21%	MPN/100mL
31-Dec-25	2542611	TMQA001	Mqatsheni Raw	Odour*	Nil	-	-
31-Dec-25	2542608	TMQA001	Mqatsheni Raw	pH OS*	8.90	-	-

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

31-Dec-25	2542608	TMQA001	Mqatsheni Raw	Temperature OS*	20.8	-	°C
31-Dec-25	2542611	TMQA001	Mqatsheni Raw	Turbidity	0.8	±6.1%	NTU
31-Dec-25	2542654	TRV001	Riversside Raw	AI (AE)	2947	±7.6%	µg AI/L
31-Dec-25	2542651	TRV001	Riversside Raw	Coliforms*	2420	±22%	MPN/100mL
31-Dec-25	2542650	TRV001	Riversside Raw	Coll Time OS*	07:20	-	-
31-Dec-25	2542653	TRV001	Riversside Raw	Colour	<1.00	±6.5%	mg Pt-Co/L
31-Dec-25	2542652	TRV001	Riversside Raw	Conductivity	5.28	±1.5%	mS/m
31-Dec-25	2542651	TRV001	Riversside Raw	E.coli*	42	±21%	MPN/100mL
31-Dec-25	2542650	TRV001	Riversside Raw	pH OS*	7.40	-	-
31-Dec-25	2542650	TRV001	Riversside Raw	Temperature OS*	20.2	-	°C
31-Dec-25	2542653	TRV001	Riversside Raw	Turbidity	17.5	±6.1%	NTU
31-Dec-25	2542678	TUN001	Underberg Raw	AI (AE)	220	±7.6%	µg AI/L
31-Dec-25	2542675	TUN001	Underberg Raw	Coliforms*	866	±22%	MPN/100mL
31-Dec-25	2542675	TUN001	Underberg Raw	Coliphages*	2	±8%	PFU/10mL
31-Dec-25	2542674	TUN001	Underberg Raw	Coll Time OS*	07:40	-	-
31-Dec-25	2542676	TUN001	Underberg Raw	Conductivity	3.99	±1.5%	mS/m
31-Dec-25	2542675	TUN001	Underberg Raw	E.coli*	37	±21%	MPN/100mL
31-Dec-25	2542674	TUN001	Underberg Raw	pH OS*	7.50	-	-
31-Dec-25	2542674	TUN001	Underberg Raw	Temperature OS*	22.0	-	°C
31-Dec-25	2542677	TUN001	Underberg Raw	Turbidity	3.6	±6.1%	NTU

uMngeni-uThukela Water

HEAD OFFICE

P. O. Box 9 • Pietermaritzburg 3200, 310 Burger Street • Pietermaritzburg 3201 • KwaZulu-Natal • South Africa,
Telephone (033) 341 1111
E-mail: info@umngeni.co.za • Website: <https://www.umngeni-uthukela.co.za/>

Board Members: Adv. SB Khuzwayo SC (Chairperson) | Ms. NN Mkhize (Deputy Chairperson) | Mr. TJ Cornish | Adv. LN Gopaul | Ms. DG Hoorzuk | Ms. S Masango | Ms. TS Mhlongo | Mr. SW Mkhize | Adv. KI Mshengu | Mr. SM Mtolo | Ms. H Mvubu | Mr. KS Shandu | Mr. SP Mkhize (**Chief Executive**) | Mr. TS Mkhwanazi (**Chief Financial Officer**)